



TASLEEM
STEEL

COMPANY PROFILE

2023

“**TASLEEM STEEL**” is proudly providing its services throughout Pakistan for the last 40 years. We provide all sorts of steel manufacturing solutions, especially for construction of steel sheds.

01. OUR STRENGTHS

We are a Family Owned Company with Five Generations of Experience. This makes us Highly Experienced, Innovative and Professional in the Industry. Maintaining long term Relationship with Our Valuable Customers make us Absolute Customer Oriented. Our Well Experienced and Focused Management, and Hard Working Employees Work Together to Provide Results Beyond our Customers' Expectations.

With 18000 ft² of Production Area, We Consider Quality Assurance, On time Production & on time Delivery as our Core Values to Assure Customer Satisfaction.

Being Dealers of "Pakistan Steel Mills" and "International Steels Limited (ISL)" and Members of "Karachi Chamber Of Commerce & Industry (KCCI)" and "Karachi Iron & Steel Merchants Association (KISMA)" enables us to link with International Market.





02. PRODUCT LINE

- GI/PPGI/HR/CR Coils & Sheets
- Steel Shed Fabrication & Installation
- Profile Corrugation up to 1.5mm
- Steel Coil Straightening
- Shearing & Slitting Facility
- New & Used Machinery
- Z-Purlin
- Steel Planks
- (PU) and Thermopore Sandwich Panels
- J & L Hooks
- Self Drilling Screws
- Nuts, Bolts, Washers
- Cable Trays
- Ice Boxes
- Fiber Sheets
- Bending of Steel Sheets

03. APPLICATIONS OF GALVANIZED STEEL SHEDS

- Car Parkings
- Godowns
- Cable trays
- Roof top rain water drainage carrier
- Store rooms
- Steel shelters in areas affected by natural disasters
- Ducting
- Shutter gates
- Steel Trunks
- And many more

04. OUR CLIENTS MOSTLY COME FROM THE FIELD OF

- Garment Factories
- Steel merchants from all over Pakistan
- Fabricators
- Rice Mills
- Sugar Mills
- Construction and Builders
- And many more

Weight (Kg)			
Guage	MM	8x3 Sheet	8x4 Sheet
30	0.31	5.48	7.3
29	0.35	6.19	8.25
28	0.40	6.95	9.26
27	0.44	7.77	10.35
26	0.50	8.73	11.64
25	0.56	9.81	13.08
24	0.63	11.02	14.69
23	0.71	12.33	16.44
22	0.79	13.85	18.47
21	0.89	15.49	20.65
20	1.00	17.45	23.27
19	1.12	19.53	26.04
18	1.26	22.04	29.32
17	1.41	24.76	33.02
16	1.59	27.82	37.09

Above Mentioned Weights are Estimated,
Real Weight may vary

Weight Chart For Steel Sheets

05. FACILITIES AVAILABLE

CUT TO LENGTH & SLITTING FACILITY AUTOMATIC CUT TO LENGTH:

Automatic Shearing of Steel Coil into Steel Sheets According to your Required Length.

AUTOMATIC SLITTING LINE:

- Minimum Thickness: 0.50 mm
- Maximum Thickness: 2.00 mm
- Maximum Coil / Sheet Feeding Width: 1300 mm
- Minimum Sheet/Strip Width After Slitting: 80 mm

CUT TO LENGTH & SLITTING IN SINGLE OPERATION:

Machine can Slit the Coil and cut the Strips According to your Required Length in a one go Process.

PLASTIC LAMINATION:

Lamination of Plastic Film on Coils & Sheets to Ensure Protection Scratches & Corrosion.


COIL WEIGHT REDUCER:

15 Ton Coil can be Reduced to your Required Weight.



06 GALVANIZED Z-PURLIN

To Reduce the Overall Weight of Steel Structure, Pre Engineering Building Technology introduced “Z- PURLIN” as an Alternate to the Traditional use of Angle, Channel and Pipes.



ADVANTAGES:

- Made of galvanized steel
- Can produce longer pieces according to the Customer's requirement
- Savings of material upto 25 %
- Fast & easy to install
- No on site alteration required
- Assured dimensions & straightness
- Highly durable & long lasting
- Uniform quality
- Low transportation cost due to reduced weight
- No need to apply red oxide

APPLICATIONS:

- Warehouses
- Industrial
- sheds
- Parking lots
- Workshops
- Garages

07 PU SANDWICH PANEL

The Poly-Urethane (PU) Sandwich Panel has the Advantage of High Strength, Light Weight & Lower Thermal Conduction.

Highlights

Items	Specifications
Steel Thickness	0.40mm - 0.60 mm
PU Thickness	
For Normal Rooms	0.50mm - 75mm & 100mm
For Coldroom/ Storage	25mm - 250mm
Density	35kg / m ²
Dimensions	As per Requirement
Color	Red, White, Blue, Etc

BENEFITS:

- Light weight
- Very low thermal conduction
- Fast & easy installment
- Manufactured on standard specifications

Room Panels for Maintaining Temperature

Temperature Difference	PU Thickness
5-7 °C from outside Temperature	50mm
2-3 °C from outside Temperature	25mm

Cold Room Panels for Different Temperature

Temperature Range	PU Thickness
0-(7) °C	75mm
(10) - (18) °C	100mm

08 TYPES OF CORRUGATED SHEETS

NEW CLASSIC CORRUGATION :

Genuine Innovation by the Pioneers of Corrugation, It is State of the Art as it is the most recent Stage in the Development of Steel Sheet Corrugation. It has been Designed keeping in mind the Demands of the New Generation of Engineers.

CLASSIC CORRUGATION :

The Modern Dubai Style Corrugation, that looks Elegant to the Structure. The Double Liners Between Peaks add more Strength to the Structure and looks Classic.

SUPER CLASSIC :

The Classic Corrugation has been Transformed into Super Classic Corrugation. Those who want less Weight and more Strength on their Structures, Super Classic is the Best Choice as it has more Coverage Area i.e. 1050 mm.

GOLDEN CORRUGATION :


Semi-Circular Corrugation has been Transformed into Semi-Rectangular Corrugation, Adding more Strength and Giving an Elegant looks to the Structure.

DAWOOD CORRUGATION :

With the Revolution of Profile Corrugation and the Traditional Design of Semi-Circular Corrugation it is the Best of Both Worlds.

SEMI-CIRCULAR CORRUGATION :

Traditional Corrugation type is Still a Preferred Choice for most of the Clients for its Superior Strength, Circular Looks and Long Lasting Trust.



T.S Head Office:

Shop No. 9, S.S. Center, Ireland Road, Off, Nishtar Road, Karachi - Pakistan.

T.S Cutter:

Taufique Cutter Ireland Road Off. Nishtar Road, Karachi - Pakistan.

Factory Address:

E-175, S.I.T.E, Super Highway, Phase 2, Karachi - Pakistan.

PTCL Numbers:

021 21 32725223

021 32730937

Mobile Number :

Ahmad Tasleem : 0333 2442233

Fax: 021 32775590

E-mail: owais.steel@gmail.com

**Thank
You**